


# GEELYE GY10

## Capsule Pod Specifications

Six-model technology-style matrix, A/B opening formats, horizontal and vertical planning, dimensions, configuration, materials, utilities and project handover requirements.



| DOCUMENT          | VALUE                                                         |
|-------------------|---------------------------------------------------------------|
| Series            | GY10 Technology Capsule Series                                |
| Product type      | Single-guest commercial capsule pod                           |
| Confirmed models  | 6 models across A and B opening formats                       |
| Version           | 1.0                                                           |
| Issue year        | 2026                                                          |
| Commercial prices | Intentionally excluded from this long-term technical document |

IMPORTANT

Final configuration is subject to the approved drawings and sales contract.

# Six-model quick-selection matrix

Select the equipment tier vertically and the opening format horizontally. A variants add vertical planning; B variants are horizontal only.

| EQUIPMENT TIER | A   HALF-OPEN                    | B   TWO-THIRDS-OPEN        |
|----------------|----------------------------------|----------------------------|
| Light Luxury   | GY101-A<br>Horizontal / vertical | GY101-B<br>Horizontal only |
| Flagship       | GY102-A<br>Horizontal / vertical | GY102-B<br>Horizontal only |
| Luxury         | GY103-A<br>Horizontal / vertical | GY103-B<br>Horizontal only |

## Opening and planning rules

| CODE | OPENING         | SUPPORTED LAYOUT      | AIR MODULES / SET         | FRONT FEATURE                                                 |
|------|-----------------|-----------------------|---------------------------|---------------------------------------------------------------|
| A    | Half-open       | Horizontal / vertical | Horizontal 6 / vertical 4 | Horizontal: privacy window, star-light panel and front intake |
| B    | Two-thirds-open | Horizontal only       | 6                         | Star-light panel and front intake                             |

|                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FAST TIER SELECTION</b> <ul style="list-style-type: none"><li>- GY101: Light Luxury with silent fabric curtain.</li><li>- GY102: Flagship smart-door entrance and safety labels.</li><li>- GY103: Luxury ceiling and independent smoke alarm; A variant adds folding table.</li></ul> | <b>DECK PLANNING</b> <ul style="list-style-type: none"><li>- Single-deck units have no ladder.</li><li>- Double-deck sets comprise one lower and one upper pod.</li><li>- Double-deck sets use the reinforced ladder and stainless steel handrail.</li></ul> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Confirm orientation, front-feature availability, opening direction, door travel, aisle clearance and service access in the approved drawings.

# GY101-A, GY102-A and GY103-A

The three equipment tiers share the same A-type GY10 platform. Common parameters are merged once and genuine tier differences are compared directly.

| GY101-A                                                                           | GY102-A                                                                             | GY103-A                                                                             |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Light Luxury                                                                      | Flagship                                                                            | Luxury                                                                              |
|  |  |  |

## Merged common parameters




| MERGED PARAMETER   | SHARED BY ALL THREE A-TYPE MODELS                                                                                                                                                                                                                                                                                                                                       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Opening / layout   | A type - half-open; horizontal or vertical; single-guest technology-style capsule pod.                                                                                                                                                                                                                                                                                  |
| Structure / access | Technology-style ABS outer shell with quality metal steel structure; reinforced anti-slip and anti-collision ladder for double-deck sets; no ladder for single-deck units; stainless steel handrail.                                                                                                                                                                    |
| Exterior equipment | Intelligent LED multifunction pod number plate, leakage-protection switch and sound-absorbing anti-collision foam strips. Horizontal layout: privacy window, intelligent LED star-light front panel and front circulation intake. These front features are omitted in vertical layout. Reported compliance markings apply to the supplied component, not the whole pod. |
| Controls           | Pillow-side multicolour touch/slide smart control panel with 5-level LED-backlight adjustment, key-card power, negative-ion switch, Type-C and USB charging, headphone jack, TV switch, lock/escape control and dimming control.                                                                                                                                        |
| Interior           | Comfort padded backrest, embedded small storage bin, negative-ion air purification, ABS technology-shaped back panel, S-mark fire-extinguisher component, translucent-pattern vanity mirror, aluminium hook and premium flame-retardant bed board designed to resist bedbugs, mould and deformation.                                                                    |
| Air / lighting     | Horizontal: six circulation modules per double-deck set. Vertical: four modules per set. 5-level fan-speed adjustment; approximately 30 m3/h. Star-light multicolour ceiling light, 5-level dimmable reading light, multicolour mirror light and backlit pod number plate.                                                                                              |
| Materials          | General ABS, V2 flame-retardant ABS or V0 flame-retardant ABS, subject to confirmed configuration and current material evidence.                                                                                                                                                                                                                                        |

## Tier differences

| DIFFERENCE         | GY101-A                                                      | GY102-A                                                                                                       | GY103-A                                                                                                       |
|--------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Entrance / privacy | Silent fabric curtain with internal safety latch.            | Safety sliding door with smart card lock, internal safety latch, escape label and luminous instruction label. | Safety sliding door with smart card lock, internal safety latch, escape label and luminous instruction label. |
| Smoke alarm        | Not included                                                 | Not included                                                                                                  | Independent in-pod smoke alarm                                                                                |
| Folding table      | Not included                                                 | Not included                                                                                                  | Multifunction folding laptop table                                                                            |
| Ceiling tier       | Translucent double ceiling with star-light multicolour panel | Translucent double ceiling with star-light multicolour panel                                                  | Luxury large technology double ceiling with multicolour lighting                                              |

# GY101-B, GY102-B and GY103-B

The three equipment tiers share the same B-type GY10 platform. Common parameters are merged once and genuine tier differences are compared directly.

| GY101-B                                                                           | GY102-B                                                                             | GY103-B                                                                             |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Light Luxury                                                                      | Flagship                                                                            | Luxury                                                                              |
|  |  |  |

## Merged common parameters

| MERGED PARAMETER   | SHARED BY ALL THREE B-TYPE MODELS                                                                                                                                                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Opening / layout   | B type - two-thirds-open; horizontal only; single-guest technology-style capsule pod.                                                                                                                                                                                                                |
| Structure / access | Technology-style ABS outer shell with quality metal steel structure; reinforced anti-slip and anti-collision ladder for double-deck sets; no ladder for single-deck units; stainless steel handrail.                                                                                                 |
| Exterior equipment | Intelligent LED multifunction pod number plate, leakage-protection switch and sound-absorbing anti-collision foam strips. Intelligent LED star-light front panel and front circulation intake. Reported compliance markings apply to the supplied component, not the whole pod.                      |
| Controls           | Pillow-side multicolour touch/slide smart control panel with 5-level LED-backlight adjustment, key-card power, negative-ion switch, Type-C and USB charging, headphone jack, TV switch, lock/escape control and dimming control.                                                                     |
| Interior           | Comfort padded backrest, embedded small storage bin, negative-ion air purification, ABS technology-shaped back panel, S-mark fire-extinguisher component, translucent-pattern vanity mirror, aluminium hook and premium flame-retardant bed board designed to resist bedbugs, mould and deformation. |
| Air / lighting     | Six circulation modules per double-deck set; 5-level fan-speed adjustment; approximately 30 m3/h. Star-light multicolour ceiling light, 5-level dimmable reading light, multicolour mirror light and backlit pod number plate.                                                                       |
| Materials          | General ABS, V2 flame-retardant ABS or V0 flame-retardant ABS, subject to confirmed configuration and current material evidence.                                                                                                                                                                     |

## Tier differences

| DIFFERENCE         | GY101-B                                                      | GY102-B                                                                                                              | GY103-B                                                                                                              |
|--------------------|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Entrance / privacy | Silent fabric curtain with internal safety latch.            | Safety double sliding door with smart card lock, internal safety latch, escape label and luminous instruction label. | Safety double sliding door with smart card lock, internal safety latch, escape label and luminous instruction label. |
| Smoke alarm        | Not included                                                 | Not included                                                                                                         | Independent in-pod smoke alarm                                                                                       |
| Folding table      | Not included                                                 | Not included                                                                                                         | Not included                                                                                                         |
| Ceiling tier       | Translucent double ceiling with star-light multicolour panel | Translucent double ceiling with star-light multicolour panel                                                         | Luxury large technology double ceiling with multicolour lighting                                                     |

# Single-deck and double-deck dimensions

All dimensions are approximate and stated as length x width x height in millimetres. Final production and site planning must use the approved drawings.

| TYPE / LAYOUT  | SINGLE-DECK OUTER  | DOUBLE-DECK WITHOUT LADDER | DOUBLE-DECK WITH LADDER |
|----------------|--------------------|----------------------------|-------------------------|
| A - Horizontal | 2200 x 1125 x 1513 | 2200 x 1125 x 2475         | 2200 x 1350 x 2475      |
| A - Vertical   | 2200 x 1050 x 1513 | 2200 x 1050 x 2475         | 2500 x 1050 x 2475      |
| B - Horizontal | 2200 x 1136 x 1513 | 2200 x 1136 x 2475         | 2200 x 1350 x 2475      |

## Approximate internal clear envelope

| TYPE / LAYOUT  | INTERNAL MAXIMUM  | INTERNAL MINIMUM  |
|----------------|-------------------|-------------------|
| A - Horizontal | 2034 x 990 x 1110 | 2006 x 905 x 1110 |
| A - Vertical   | 2030 x 945 x 1110 | 2006 x 905 x 1110 |
| B - Horizontal | 2034 x 980 x 1110 | 2006 x 905 x 1110 |

## Planning notes

- A double-deck set comprises one lower capsule and one upper capsule.
- The ladder dimension includes the ladder projection and does not replace aisle, assembly, maintenance or emergency clearance.
- Confirm orientation, site tolerances, delivery access, door travel, ceiling height, cabling and airflow before production release.

# Shared GY10 technology baseline

These items apply across the six-model series unless a comparison-page difference or confirmed project option supersedes them.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>EXTERNAL EQUIPMENT</b></p> <ul style="list-style-type: none"><li>- Reinforced anti-slip and anti-collision ladder for double-deck sets; no ladder for single-deck units.</li><li>- Safety stainless steel handrail and intelligent LED multifunction pod number plate.</li><li>- Privacy window, intelligent LED star-light front panel and front circulation intake where supported by layout.</li><li>- Leakage-protection switch; reported marks apply to the supplied component only.</li><li>- Sound-absorbing anti-collision foam adhesive strips.</li><li>- Power cable and low-voltage 12 V adapter package subject to destination requirements.</li></ul> | <p><b>INTERNAL EQUIPMENT</b></p> <ul style="list-style-type: none"><li>- Technology-style translucent star-light double ceiling; luxury large ceiling on GY103 variants.</li><li>- Comfort padded backrest and embedded small storage bin.</li><li>- Pillow-side multicolour touch/slide smart controls with 5-level backlight adjustment.</li><li>- Key-card power, negative-ion switch, Type-C and USB charging, headphone jack, TV switch, lock/escape and dimming controls.</li><li>- Negative-ion purification and layout-specific adjustable circulation system.</li><li>- ABS technology back panel, S-mark fire-extinguisher component, translucent mirror, aluminium hook and premium flame-retardant bed board.</li></ul> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Lighting

| ITEM           | STANDARD DESCRIPTION                                                                     |
|----------------|------------------------------------------------------------------------------------------|
| Ceiling        | Star-light multicolour translucent ceiling; tier-specific size follows comparison pages. |
| Reading light  | 5-level dimmable reading light                                                           |
| Mirror light   | Multicolour vanity-mirror light                                                          |
| Identification | Technology-style backlit pod number plate                                                |

## Finish and structure

- Frosted-texture colours: white, yellow, blue, pink, green, black and silver. Silver and special colours require project confirmation.
- Primary construction: environmentally considerate ABS outer shell, optional flame-retardant ABS grade and quality metal steel structural frame.

# Materials, electrical and ventilation requirements

Optional items are included only when listed in the signed quotation, configuration schedule and approved drawings.

## ABS material selection

| MATERIAL    | USE                                     | EVIDENCE BOUNDARY                                                   |
|-------------|-----------------------------------------|---------------------------------------------------------------------|
| General ABS | Standard ABS shell option               | Confirm colour, finish and project suitability.                     |
| V2 ABS      | Optional flame-retardant material grade | Match to current evidence for the supplied batch and configuration. |
| V0 ABS      | Higher flame-retardant material option  | Match to current evidence for the supplied batch and configuration. |

V2 or V0 describes the selected ABS material and must not be interpreted as whole-pod fire certification. Destination requirements remain subject to buyer and local-authority confirmation.

## Electrical and ventilation

| SYSTEM           | REQUIREMENT / PERFORMANCE                                                  | PROJECT COORDINATION                                                                                         |
|------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Electrical input | 110-240 V AC input                                                         | Confirm voltage, frequency, plug/socket standard, connection method, protection and available load.          |
| Cabin system     | 12 V low-voltage cabin system                                              | Final adapter, controls, charging interfaces and socket package follow the confirmed configuration.          |
| Energy reference | Approximately 1 kWh per capsule per day under source-listed use conditions | Actual consumption depends on options, connected loads, operating hours and site conditions.                 |
| Ventilation      | Layout-specific adjustable circulation; approximately 30 m3/h              | Pod circulation does not replace building HVAC or room fresh-air design. Buyer MEP coordination is required. |

## Optional equipment

- Outer large/small decorative panels and other project-specific exterior treatments.
- Five-hole socket where approved; not part of the listed standard baseline.
- Project-specific accessories, custom functions, labels, colours and branding.
- Destination-specific electrical accessories and documentation where agreed.

# Buyer inputs and commercial delivery boundary

GEELYE uses the buyer's project information to check feasibility, prepare drawings and confirm configuration-specific supply and packing details.

## BUYER MUST PROVIDE

- Project country, city, building type and intended operation.
- Dimensioned room plan, ceiling height, fixed obstructions and site photographs.
- Capsule quantity, selected models and single-deck / double-deck count.
- Preferred opening direction and horizontal / vertical arrangement where applicable.
- Local voltage, frequency, plug/socket standard and connection requirements.

## BUYER MUST ALSO CONFIRM

- Room HVAC and ventilation conditions, including supply and return strategy.
- Delivery route dimensions, including doors, lifts, stairs and unloading restrictions.
- Colour, ABS grade, options, custom functions and branding.
- Local compliance, fire-safety, accessibility and documentation requirements.
- Target delivery date, destination port and site installation plan.

## Commercial handover

| ITEM                   | COMMERCIAL / HANDOVER TERM                                                                                                                                                                           |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging              | Packaging method, carton count, packed dimensions and gross/net weight are provided after final configuration confirmation.                                                                          |
| Shipping               | FOB terms. The named port is confirmed in the quotation or sales contract.                                                                                                                           |
| Installation           | Customer installation. GEELYE provides an installation video and written instructions; site labour, tools, unloading and execution remain the customer's responsibility unless otherwise contracted. |
| Warranty               | Two-year product warranty. Scope, start date, exclusions and claims follow the sales contract or warranty terms.                                                                                     |
| Post-warranty          | Paid lifetime maintenance support is available after the warranty period, subject to parts availability and agreed service terms.                                                                    |
| Options / custom items | Accessories, custom functions and outer large/small decorative panels are supplied only when included in the confirmed order.                                                                        |

## FINAL CONFIGURATION NOTICE

**Final configuration is subject to the approved drawings and sales contract.**

Commercial prices, freight charges, installation charges and taxes are intentionally excluded from this long-term technical specification. Obtain the current quotation for commercial terms and values.